

according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name Oxygen granules SDS-Ref 07560

Delever Heaville along a filler autologic

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Water treatment chemical

Professional use

Uses advised against

Consumer use (private households)

Do not use for squirting or spraying

Do not use for products which come into direct contact with

the skin

1.3 Details of the supplier of the safety data sheet Steinbach International GmbH

L. Steinbach Platz 1 4311 Schwertberg

Austria

Telephone: +43 7262 61431 1000 e-Mail: info@steinbach-group.com

e-Mail (competent person): sdb@steinbach-group.com

### 1.4 Emergency telephone number

Country	Name	Postal code/city	Telephone	Opening hours
Austria	Vergiftungsinformationszentrale	1090 Wien	+43 1 406 4343 (24h)	
United King- dom	National Poisons Information Service		111 (24h)	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word

Danger

- Pictograms

GHS05, GHS07



United Kingdom: en Page: 1 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

- Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to hazardous or special waste collection point.

- Supplemental hazard information

EUH208 Contains Dipotassium peroxodisulfate. May produce an allergic reaction.

- Hazardous ingredients for labelling Pentapotassium bis(peroxymonosulphate) bis(sulphate)

### 2.3 Other hazards

Of no significance

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture).

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Classification acc. to GHS	Pictograms	Wt%
Pentapotassium bis(peroxy- monosulphate) bis(sulphate)	CAS No 70693-62-8 EC No 274-778-7 REACH Reg. No 01-2119485567-22-xxxx	Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		≥90
Dipotassium peroxodisulfate	CAS No 7727-21-1 EC No 231-781-8 Index No 016-061-00-1 REACH Reg. No 01-2119495676-19-xxxx	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 STOT SE 3 / H335	<b>(1)</b>	<1

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Pentapotassium bis(peroxymono- sulphate) bis(sulphate)	-	-	500 <sup>mg</sup> / <sub>kg</sub>	oral
Dipotassium peroxod- isulfate	-	-	742 <sup>mg</sup> / <sub>kg</sub>	oral

United Kingdom: en Page: 2 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25) Replaces version: GHS 6 (2020-11-11)

For full text of abbreviations: see SECTION 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aid-

### Following inhalation

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Let be drunken in little sips: 0, 1-0, 21 Water. Do NOT induce vomiting. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

None.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Sulphur oxides (SOx)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United Kingdom: en Page: 3 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25) Replaces version: GHS 6 (2020-11-11)

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use only in well-ventilated areas. Use local and general ventilation.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

Control of effects

- Protect against external exposure, such as

High temperatures, Frost, Humidity, UV-radiation/sunlight

- Ventilation requirements

Use local and general ventilation.

### Packaging compatibilities

Professional use: Only packagings which are approved (e.g. acc. to ADR) may be used. Consumer use (private households): Keep only in original container.

United Kingdom: en Page: 4 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

Conditions of storage

Keep container tightly closed in a cool place. Protect from sunlight. Keep away from children.

### 7.3 Specific end use(s)

There is no additional information.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota- tion	Sourc e
GB	dust		WEL		10					i	EH40 / 2005
GB	dust		WEL		4					r	EH40 / 2005

### Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise spe-

cified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (un-

less otherwise specified)

### **Human health values**

### Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.28 mg/m <sup>3</sup>	8 mg/m³ human, inhalatory worker (industry)		chronic - systemic effects
DNEL	50 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	0.28 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	50 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
DNEL	20 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	80 mg/kg bw/ day	human, dermal	worker (industry)	acute - systemic effects
DNEL	0.14 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
DNEL	25 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic effects
DNEL	0.14 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
DNEL	25 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - local effects
DNEL	10 mg/kg bw/ day	human, dermal	consumer (private households)	chronic - systemic effects
DNEL	40 mg/kg bw/ day	human, dermal	consumer (private households)	acute - systemic effects
DNEL	10 mg/kg bw/ day	human, oral	consumer (private households)	chronic - systemic effects
DNEL	10 mg/kg bw/ day	human, oral	consumer (private households)	acute - systemic effects

United Kingdom: en Page: 5 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

# Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	0.14 mg/ m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	25 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic ef- fects
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	0.14 mg/ m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local ef- fects
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	25 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - local effects
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	10 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	40 mg/kg bw/day	human, dermal	consumer (private households)	acute - systemic ef- fects
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	10 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	DNEL	10 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic ef- fects
Dipotassium peroxod- isulfate	<i>77</i> 27-21-1	DNEL	1.03 mg/ m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Dipotassium peroxod- isulfate	<i>77</i> 27-21-1	DNEL	295 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic ef- fects
Dipotassium peroxod- isulfate	<i>77</i> 27-21-1	DNEL	1.03 mg/ m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local ef- fects
Dipotassium peroxod- isulfate	<i>7727</i> -21-1	DNEL	295 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - local effects
Dipotassium peroxod- isulfate	<i>7727</i> -21-1	DNEL	9.1 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Dipotassium peroxod- isulfate	7727-21-1	DNEL	200 mg/kg bw/day	human, dermal	consumer (private households)	acute - systemic ef- fects
Dipotassium peroxod- isulfate	7727-21-1	DNEL	9.1 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Dipotassium peroxod- isulfate	7727-21-1	DNEL	30 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic ef- fects

United Kingdom: en Page: 6 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

# Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

### **Environmental values**

### **Relevant PNECs and other threshold levels**

Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.022 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.002 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	108 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.078 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.008 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	1 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	PNEC	0.022 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single in- stance)
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	PNEC	0.002 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single in- stance)
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	PNEC	108 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	PNEC	0.078 <sup>mg</sup> /	aquatic organisms	freshwater sediment	short-term (single in- stance)
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	PNEC	0.008 <sup>mg</sup> / kg	aquatic organisms	marine sediment	short-term (single in- stance)
Pentapotassium bis(peroxymono- sulphate) bis(sulph- ate)	70693-62-8	PNEC	1 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)
Dipotassium peroxod- isulfate	7727-21-1	PNEC	0.076 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
Dipotassium peroxod- isulfate	7727-21-1	PNEC	0.011 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
Dipotassium peroxod- isulfate	7727-21-1	PNEC	3.6 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Dipotassium peroxod- isulfate	7727-21-1	PNEC	0.275 <sup>mg</sup> / kg	aquatic organisms	freshwater sediment	short-term (single in- stance)
Dipotassium peroxod- isulfate	7727-21-1	PNEC	0.04 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
Dipotassium peroxod- isulfate	7727-21-1	PNEC	0.015 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single in- stance)

United Kingdom: en Page: 7 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

### 8.2 Exposure controls (professional use)

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

- Eye/face protection

Use safety goggle with side protection (EN 166).

### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Type of material

PVC: polyvinyl chloride, NR: natural rubber, latex

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection

Particulate filter device (EN 143).

In case of inadequate ventilation wear respiratory protection: Full face mask (DIN EN 136).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

morniadori on baolo priyologi ana onomica.	,, open acc
Physical state	solid
Colour	white
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	90 °C
pH (value)	2.1 (in aqueous solution: 30 <sup>g</sup> / <sub>I</sub> , 20 °C) (acid)
Kinematic viscosity	not relevant
Particle characteristics	no data available
Oxidising properties	none
Vapour pressure	
Vapour pressure	<0 Pa at 25 °C

United Kingdom: en Page: 8 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25) Replaces version: GHS 6 (2020-11-11)

Density and/or relative density

Density	2.34 <sup>g</sup> / <sub>cm³</sub> at 20 °C	
Relative vapour density	information on this property is not available	
Bulk density	1,100 – 1,400 <sup>kg</sup> / <sub>m³</sub>	
Other safety parameters Solubility(ies)		

Vater solubility	≤370 <sup>g</sup> / <sub> </sub> at 20 °C
------------------	---

Partition coefficient

Tarmor coemelem			
n-Octanol/water (log KOW)	<0.3 (pH value: ~1, 20 °C)		
Soil organic carbon/water (log KOC)	<1.256		

#### 9.2 Other information

hazard classes acc. to GHS (physical hazards): not relevant Information with regard to physical hazard classes Other safety characteristics

 $72.9 \, ^{mN}/_{m} (23 \, ^{\circ}C)$ Surface tension

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### Possibility of hazardous reactions

No known hazardous reactions.

### Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

United Kingdom: en Page: 9 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

Acute toxicity estimate (ATE)

Oral  $500 \, ^{mg}/_{kg}$ 

Name of substance	CAS No	Exposure route	End- point	Value	Species
Pentapotassium bis(peroxymono- sulphate) bis(sulphate)	70693-62-8	oral	LD50	500 <sup>mg</sup> / <sub>kg</sub>	rat
Pentapotassium bis(peroxymono- sulphate) bis(sulphate)	70693-62-8	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
Dipotassium peroxodisulfate	7727-21-1	oral	LD50	742 <sup>mg</sup> / <sub>kg</sub>	rat
Dipotassium peroxodisulfate	7727-21-1	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
Dipotassium peroxodisulfate	<i>77</i> 27-21-1	inhalation: dust/mist	LC50	>10.7 <sup>mg</sup> / <sub>I</sub> /4h	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Contains Dipotassium peroxodisulfate. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### 11.2 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	Species	Exposure time			
Dipotassium peroxodi- sulfate	7727-21-1	EC50	11 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	5 d

### 12.2 Persistence and degradability

Data are not available.

United Kingdom: en Page: 10 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Pentapotassium bis(peroxymono- sulphate) bis(sulphate)	70693-62-8		<0.3 (pH value: ~1, 20 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Other disposal recommendations

Dispose of contents/container to hazardous or special waste collection point. Waste treatment of containers/packagings: Mixed municipal waste.

### Relevant provisions relating to waste

List of wastes (EU), Decision 2000/532/EC on the list of waste

Product Code/ Type of waste: 19 09 99

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### **SECTION 14: Transport information**

14.1	UN number or ID number	3260
	ADR/RID/ADN	UN 3260
	IMDG-Code	UN 3260
	ICAO-TI	UN 3260

## **14.2 UN proper shipping name** CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

ADR/RID/ADN CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. IMDG-Code CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

United Kingdom: en Page: 11 / 18



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25) Replaces version: GHS 6 (2020-11-11)

ICAO-TI	Corrosive solid, acidic, inorganic, n.o.s.
Technical name (hazardous ingredients)	Pentapotassium bis(peroxymonosulphate) bis(sulphate), Dipotassium disulphate
Transport hazard class(es)	
adr/rid/adn	8
IMDG-Code	8
ICAO-TI	8
Packing group	II (substance presenting medium danger)
ADR/RID/ADN	II
IMDG-Code	II
ICAO-TI	II
Environmental hazards	non-environmentally hazardous acc. to the dangerous good
	Technical name (hazardous ingredients)  Transport hazard class(es)  ADR/RID/ADN  IMDG-Code  ICAO-TI  Packing group  ADR/RID/ADN  IMDG-Code  ICAO-TI

regulations

C2

# 14.6 Special precautions for user

Classification code

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Danger label(s) 8 Special provisions (SP) 274 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 kg Transport category (TC) 2 Tunnel restriction code (TRC) Ε Hazard identification No 80 **Emergency Action Code** 2X

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-B
Stowage category	В
Segregation group	1 - Acids

United Kingdom: en Page: 12 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

# International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)

Special provisions (SP) A3
Excepted quantities (EQ) E2
Limited quantities (LQ) 5 kg

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# Relevant provisions of the European Union (EU)

### Restrictions according to REACH, Annex XVII

No	Name of substance	CAS No	Type of registration
75	Pentapotassium bis(peroxymono- sulphate) bis(sulphate)		2020/2081/EC annex XVII
75	Dipotassium peroxodisulfate		2020/2081/EC annex XVII

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

### **Seveso Directive**

No	Dangerous substance/hazard categories
	not assigned

### **Deco-Paint Directive**

VOC content	0 %

### **Industrial Emissions Directive (IED)**

	VOC content	0 %
- 1		

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### **Water Framework Directive (WFD)**

### List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Pentapotassium bis(peroxymonosulphate) bis(sulphate)		A)	
Dipotassium peroxodisulfate		A)	

#### Legend

A) Indicative list of the main pollutants

## Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

United Kingdom: en Page: 13 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

# Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

### **National inventories**

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

Legend

REACH Reg. REACH registered substances

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.3	Details of the supplier of the safety data sheet: Steinbach International GmbH L. Steinbach Platz 1 4311 Schwertberg Austria Telephone: +43 7262 61431 e-Mail: info@steinbach-group.com e-Mail (competent person): sdb@steinbach-group.com	Details of the supplier of the safety data sheet: Steinbach International GmbH L. Steinbach Platz 1 4311 Schwertberg Austria Telephone: +43 7262 61431 1000 e-Mail: info@steinbach-group.com e-Mail (competent person): sdb@steinbach-group.com	yes
2.3	Other hazards	Other hazards: Of no significance	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.		yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
4.1	General notes:  Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. In case of unconsciousness place person in the recovery position. Never give anything by mouth.	General notes:  Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.	yes
4.1	Following skin contact: Rinse skin with water/shower.		yes
8.2	- Eye/face protection: Use safety goggle with side protection (EN 166).		yes
8.2		- Eye/face protection: Use safety goggle with side protection (EN 166).	yes
8.2	Hand protection: In the case of wanting to use the gloves again, clean them before taking off and air them well.		yes
8.2	Type of material: PVC: polyvinyl chloride, NR: natural rubber, latex		yes
8.2		- Hand protection:  Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.	yes

United Kingdom: en Page: 14 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

# Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

Imber: Gn3 /.0	(2021 10 20)	Replaces version: GFI3 o	2020 11 11
Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
8.2		Type of material: PVC: polyvinyl chloride, NR: natural rubber, latex	yes
8.2	Other protection measures: Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.	- Other protection measures:  Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.	yes
8.2	Respiratory protection: Particulate filter device (EN 143)	Respiratory protection: Particulate filter device (EN 143). In case of inadequate ventilation wear respiratory protection: Full face mask (DIN EN 136).	yes
9.1		Lower and upper explosion limit: not determined	yes
9.1	Evaporation rate: not determined		yes
9.1	Explosion limits of dust clouds: not determined		yes
9.1	pH (value): 2.1 (water: 30 <sup>9</sup> / <sub>I</sub> , 20 °C) (acid)	pH (value): 2.1 (in aqueous solution: 30 <sup>g</sup> / <sub>l</sub> , 20 °C) (acid)	yes
9.1		Kinematic viscosity: not relevant	yes
9.1		Particle characteristics: no data available	yes
9.1		Oxidising properties: none	yes
9.1		Vapour pressure	yes
9.1		Density and/or relative density	yes
9.1	Vapour density: this information is not available		yes
9.1	Viscosity: not relevant (solid matter)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Relative vapour density: information on this property is not available	yes
9.2	Other information: There is no additional information.	Other information	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2		Other safety characteristics	yes
11.2		Information on other hazards: There is no additional information.	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.1		ADR/RID/ADN: UN 3260	yes
14.1		IMDG-Code: UN 3260	yes
14.1		ICAO-TI: UN 3260	yes
14.2		ADR/RID/ADN: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	yes
	•	•	

United Kingdom: en Page: 15 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

# Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
14.2		IMDG-Code: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	yes
14.2		ICAO-TI: Corrosive solid, acidic, inorganic, n.o.s.	yes
14.3	Class: 8 (corrosive substances)		yes
14.3		ADR/RID/ADN: 8	yes
14.3		IMDG-Code:	yes
14.3		ICAO-TI:	yes
14.4		ADR/RID/ADN: II	yes
14.4		IMDG-Code:	yes
14.4		ICAO-TI:	yes
14.7	UN number: 3260		yes
14.7	Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.		yes
14.7	Class: 8		yes
14.7	Packing group: II		yes
14.7	UN number: 3260		yes
14.7	Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.		yes
14.7	Class: 8		yes
14.7	Packing group: II		yes
14.7	UN number: 3260		yes
14.7	Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s.		yes
14.7	Class: 8		yes
14.7	Packing group: II		yes
15.1	Restrictions according to REACH, Annex XVII: None of the ingredients are listed.	Restrictions according to REACH, Annex XVII	yes
15.1		Restrictions according to REACH, Annex XVII: change in the listing (table)	yes
15.1		Regulation on persistent organic pollutants (POP): None of the ingredients are listed.	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

United Kingdom: en Page: 16 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

# Oxygen granules

Version number: GHS 7.0 (2021-10-25) Replaces version: GHS 6 (2020-11-11)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations	
Acute Tox.	acute toxicity	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard	
ATE	Acute Toxicity Estimate	
BCF	bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Eye Dam.		
Eye Irrit.	seriously damaging to the eye irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code  International Maritime Dangerous Goods Code	
index No LC50	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50% lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
log KOW	n-octanol/water	
NLP	No-Longer Polymer	
Ox. Sol.	oxidising solid	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
Resp. Sens.	respiratory sensilisation	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
Skin Corr.	corrosive to skin	
Skin Irrit.	irritant to skin	
Skin Sens.	skin sensitisation	
STEL	short-term exposure limit	
STOT SE	specific target organ toxicity - single exposure	
SVHC	Substance of Very High Concern	
TWA	time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	very Persistent and very Bioaccumulative	
WEL	workplace exposure limit	

# Key literature references and sources for data

United Kingdom: en Page: 17 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

### Oxygen granules

Version number: GHS 7.0 (2021-10-25)

Replaces version: GHS 6 (2020-11-11)

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 18 / 18